

EEEEEEEEE XX XX AAAAAAA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSS
EEEEEEEEE XX XX AAAAAAA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSS
EEEEEEEEE XX XX AAAAAAA MM MM PPPPPPPP LL EEEEEEEEEE SSSSSSS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MMMM MMMM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XX XX AA AA MM MM MM PP PP LL EE SS
EE XXXXX AA AA MM MM PPPPPPPP LL EEEEEEEEEE SSSSS
EE XXXX AA AA MM MM PPPPPPPP LL EEEEEEEEEE SSSSS
EE XXXX AA AA MM MM PPPPPPPP LL EEEEEEEEEE SSSSS
EE XX XX AAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAA MM MM PP LL EE SS
EE XX XX AAAAAAAA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LL EE SS
EE XX XX AA AA MM MM PP LLLL EEEEEEEEEE SSSSSSS
EE XX XX AA AA MM MM PP LLLL EEEEEEEEEE SSSSSSS
EE XX XX AA AA MM MM PP LLLL EEEEEEEEEE SSSSSSS

SSSSSSSS	YY	YY	SSSSSSSS	GGGGGGGG	TTTTTTTT	TTTTTTTT	SSSSSSSS	TTTTTTTT	RRRRRRRR
SSSSSSSS	YY	YY	SSSSSSSS	GGGGGGGG	TTTTTTTT	TTTTTTTT	SSSSSSSS	TTTTTTTT	RRRRRRRR
SS	YY	YY	SS	GG	TT	TT	SS	TT	RR
SS	YY	YY	SS	GG	TT	TT	SS	TT	RR
SS	YY	YY	SS	GG	TT	TT	SS	TT	RR
SS	YY	YY	SS	GG	TT	TT	SS	TT	RR
SSSSSS	YY	SSSSSS	GG	TT	TT	SS	TT	RRRRRRRR	
SSSSSS	YY	SSSSSS	GG	TT	TT	SS	TT	RRRRRRRR	
SS	YY	SS	GG	GGGGGG	TT	TT	SS	TT	RR
SS	YY	SS	GG	GGGGGG	TT	TT	SS	TT	RR
SS	YY	SS	GG	GG	TT	TT	SS	TT	RR
SS	YY	SS	GG	GG	TT	TT	SS	TT	RR
SSSSSSSS	YY	SSSSSSSS	GGGGGG	TT	TT	SSSSSSSS	TT	RR	...
SSSSSSSS	YY	SSSSSSSS	GGGGGG	TT	TT	SSSSSSSS	TT	RR	...
MM	MM	SSSSSSSS	GGGGGGGG						
MM	MM	SSSSSSSS	GGGGGGGG						
MMMM	MMMM	SS	GG						
MMMM	MMMM	SS	GG						
MM	MM	SS	GG						
MM	MM	SS	GG						
MM	MM	SS	GG						
MM	MM	SSSSSS	GG						
MM	MM	SSSSSS	GG						
MM	MM	SS	GG	GGGGGG					
MM	MM	SS	GG	GGGGGG					
MM	MM	SS	GG	GG					
MM	MM	SS	GG	GG					
MM	MM	SSSSSSSS	GGGGGG						
MM	MM	SSSSSSSS	GGGGGG						

SYSGTTSTR.MSG - sysgen TERMINAL/ECHO command message file

Version 'V04-000'

```
*****  
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
* ALL RIGHTS RESERVED.  
*  
* THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
* ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
* INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
* COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
* OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
* TRANSFERRED.  
*  
* THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
* AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
* CORPORATION.  
*  
* DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
* SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.  
*  
*****
```

++

FACILITY: VAX/VMS System Macro Libraries

ABSTRACT:

*** SAMPLE MESSAGE FILE FOR TERMINAL/ECHO COMMAND ***

This file contains the message source for the SYSGEN TERMINAL/ECHO command.

To change the terminal driver echo strings for:

^AC, ^AO, ^AY, and ^AZ, do the following:

- 1) Edit the messages below to include the text that you want for a given echo.
- 2) To create the SYSGTTSTR.EXE file, issue the following DCL commands:

```
$ MESSAGE SYSGTTSTR  
$ LINK SYSGTTSTR
```

3) Then, each time the system boots (in SYSTARTUP, for example):

```
$ SET MESSAGE SYSGTTSTR  
$ RUN SYSS$SYSTEM:SYSGEN  
TERMINAL/ECHO
```

The command requires the SYSNAM and CMKRLN privileges.

The echos will now be re-loaded. This must be done at each boot.

ENVIRONMENT:

n/a

--

AUTHOR: Jake VanNoy CREATION DATE: 15-Jul-1983

MODIFICATION HISTORY:

V03-001 JLV0384 Jake VanNoy 23-JUL-1984
Update strings so that they closely match terminal driver.

DEFINE TTDRIVER CONTROL CHARACTER ECHO STRINGS

DEFINE MESSAGES

.FACILITY SYSGEN,124 /SYSTEM /PREFIX=SYSG_TTS_
.SEVERITY INFORMATIONAL
.BASE 2048

!/ string is included where <CR><LF> is to be inserted
FAO count is 1 to force calling FAO during SYSGEN command.

CTRLY	<!*INTERRUPT*!/>	/FAO=1	standard ^Y
CTRLC	<!*CANCEL*!/>	/FAO=1	standard ^C
CTRLY_REG	<\!7[7m Interrupt [m8!/>	/FAO=1	^Y for DEC_CRT
CTRLC_REG	<\!7[7m Cancel [m8!/>	/FAO=1	^C for DEC_CRT
CTRLY_DEC	<!*INTERRUPT*!/>	/FAO=1	^Y for DEC_CRT
CTRLC_DEC	<!*CANCEL*!/>	/FAO=1	^C for DEC_CRT
CTRLY_DECREG	<\!7[7m Interrupt [m8!/>	/FAO=1	^Y for DEC_CRT
CTRLC_DECREG	<\!7[7m Cancel [m8!/>	/FAO=1	^C for DEC_CRT
CTRLZ	<!*EXIT*!>	/FAO=1	Standard ^Z
CTRLZ_DEC	<7[7m Exit [m8>	/FAO=1	^Z for DEC_CRT
CTRL0	<!*OUTPUT OFF*!/>	/FAO=1	output off
CTRL0_DEC	<\!7[7m Output Off [m8!/>	/FAO=1	output off for DEC_CRT
OUTON	<!*OUTPUT ON*!>	/FAO=1	output on
OUTON_DEC	<7[7m Output On [m8>	/FAO=1	output on for DEC_CRT

.END

0159 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

